GLAZED VITRIFIED PORCELAIN

DESIGN QUALIFYING REPORT



< 65.0 X10-7°C-1

Resistant

ROLLER PRINTING QUARTZO GRIFITE-MATT COLLECTION

Size	Code	Finish	Name
600X300	RC.0QG.000136.QM.0M	Matt	Quartzo Grfite - White
600X300	RC.0QG.000205.QM.0M	Matt	Quartzo Grfite - Yellow
600X300	RC.0QG.000440.QM.0M	Matt	Quartzo Grfite - Brown
600X300	RC.0QG.000630.QM.0M	Matt	Quartzo Grfite - Grafite Black
	•		

FEATURES

	DIMENSION & SURFACE QUALITY				
		Description of the Test	Test Method	International Specification	Royal Ceramics Value
1	i i	Length & Width (Average)	ISO 10545.2	Set by Manufacturer	R(600X300mm)
L	Ų.	Deviation in Length & Width	ISO 10545.2	± 0.3 %	±0.2mm
2		Thickness (Average)	ISO 10545.2	Set by Manufacturer	9.0mm
	P	Deviation in Thickness	ISO 10545.2	± 5 %	±0.3mm
3		Straightness of Sides	ISO 10545.2	± 0.5 % (Max 2 mm)	±0.8mm
4	(3°)	Rectangularity	ISO 10545.2	± 0.6 % (Max 4 mm)	±1.5mm (With respect to the 600mm side) ±0.9mm (With respect to the 300mm side)
5	>- €	Surface Flatness	ISO 10545.2	± 1.8 mm (Max)	±1.6mm
6	•:	Surface Quality	ISO 10545.2	Min 95 %	More than 95% of tiles are free from visible defects
			PHYSICAL PROPERTIES		
7		Water Absorption by mass (Average)	ISO 10545.3	< 0.5 %	Maximum < 0.5 %
8	**	Modulus of Rupture	ISO 10545.4	> 35 N/mm2	Minimum > 35 N/mm2
9		Abrasion Resistance (Maximum)-Deep Abrasion	ISO 10545.6	Maximum 175mm3	Maximum < 165mm3
10	<u>*</u>	Moh's Scale Hardness	EN 101	Set by Manufacture	6
11	长	Slipperiness	ISO 10545.17	Set by Manufacture	R=10(PTV=30 Average in wet)
12	禁	Colour Resistance to light	ISO 10545.16	Resistant	Resistant
	THERMAL PROPERTIES				

14	&	Moisture Expansion	ISO 10545.10	Nil	N/D
15 🧃	A.	Resistance to Thermal Shock	ISO 10545.9	Min 10 Cycle	Resistant
16	*	Resistance to Crazing	ISO 10545.11	Min 4 Cycle	Resistant

ISO 10545.8

CHEMICAL PROPERTIES

	CHEMICALTROLERNES				
18		Chemical Resistance	ISO 10545.13	Resistant	Resistant
لاِ. ا	k	Resistance to Stains	ISO 10545.14	Min Class III	Class V

RANDOMNESS & DISPLAY OF TILES

ISO 10545.12

20	Display of Tiles	At least 4 tiles should be properly displayed.
	Display of thes	The reade it they should be properly displic

APPLICATIONS

Product is Glazed Vitrified porcelain with medium scratch hardness. It is recommended to apply in medium traffic areas. Cleaning and maintenance can be done with fresh water and household chemicals.

Certifications of Conformity



Thermal Expansion

Frost Resistance

13







< 90.0 X 10-7 °C-1

Resistant

ı		
ı		
	Durana and last.	Francisco de la contractica del la contractica del la contractica de la contractica

Prepared by:	Eng.Production	Date:	24/10/2023	
Revision No.	Manager - QA and R & D	Date of Revision:	8/1/2024	