## GLAZED VITRIFIED PORCELAIN

## **DESIGN QUALIFYING REPORT**



# ROLLER PRINTING SLATE-MATT COLLECTION

Size	Code	Finish	Name			
600X300	RC.0SC.0007H1.AM.0M	Matt	Slate - Grey			
600X300	RC.0SC.0007H2.AM.0M	Matt	Slate - Brown Black			
600X300	RC.0SC.0007H3.AM.0M	Matt	Slate - Grey Black			

#### **FEATURES**

### **DIMENSION & SURFACE QUALITY**

DIMENSION & SURFACE QUALITY						
		Description of the Test	Test Method	International Specification	Royal Ceramics Value	
1	<b>:</b>	Length & Width (Average)	ISO 10545.2	Set by Manufacturer	R(600X300mm)	
	Deviation in Length & Width	ISO 10545.2	± 0.3 %	±0.2mm		
2		Thickness (Average)	ISO 10545.2	Set by Manufacturer	9.0mm	
		Deviation in Thickness	ISO 10545.2	± 5 %	±0.3mm	
3		Straightness of Sides	ISO 10545.2	± 0.5 % (Max 2 mm)	±0.8mm	
4	\$3.	Rectangularity	ISO 10545.2	± 0.6 % (Max 4 mm)	±1.5mm (With respect to the 600mm side) ±0.9mm (With respect to the 300mm side)	
5	>	Surface Flatness	ISO 10545.2	± 1.8 mm (Max)	±1.6mm	
6	•:	Surface Quality	ISO 10545.2	Min 95 %	Min 95 %	
			PHYSICAL PROPERTIES			
7	***	Water Absorption by mass (Average)	ISO 10545.3	< 0.5 %	Maximum < 0.5 %	
8	<b>★</b>	Modulus of Rupture	ISO 10545.4	> 35 N/mm2	Minimum > 35 N/mm2	
9	<u> </u>	Abrasion Resistance (Maximum)-Deep Abrasion	ISO 10545.6	Maximum 175mm3	Maximum < 165mm3	
10	*	Moh's Scale Hardness	EN 101	Set by Manufacturer	6	
11	<u>*</u>	Slipperiness	ISO 10545.17	Set by Manufacturer	R=10(PTV=30 Average in we	
12	禁	Colour Resistance to light	ISO 10545.16	Resistant	Resistant	
			THERMAL PROPERTIES			
13	$\overline{\longleftrightarrow}$	Thermal Expansion	ISO 10545.8	< 90.0 X 10-7 °C-1	< 65.0 X10-7°C-1	
14	<b>6</b>	Moisture Expansion	ISO 10545.10	Nil	N/D	
15	00 K	Resistance to Thermal Shock	ISO 10545.9	Min 10 Cycle	Resistant	
16	*	Resistance to Crazing	ISO 10545.11	Min 4 Cycle	Resistant	
17	<b>※</b>	Frost Resistance	ISO 10545.12	Resistant	Resistant	
			CHEMICAL PROPERTIES	I	1	
18	I	Chemical Resistance	ISO 10545.13	Resistant	Resistant	
19	*	Resistance to Stains	ISO 10545.14	Min Class III	Class V	
			RANDOMNESS & DISPLAY OF TI	ILES		
20		Display of Tiles At least 4 tiles should be properly displayed.				

20 Display of Tiles At least 4 tiles should be properly displayed.

### APPLICATIONS

Product is Glazed Vitrified porcelain with medium scratch hardness. It is recommended to apply in medium traffic areas. Cleaning and maintenance can be done with fresh water and household chemicals.

# **Certifications of Conformity**









Prepared by:	Eng.Production	Date:	24/10/2023
Revision No.	Manager - QA and R & D	Date of Revision:	15/08/2024